

Subasta en línea / Online Auction



Entre nuestros activos más destacados se encuentran: Línea de pintura híbrida líquida por inmersión "Dip Coating", 3 líneas de pintura equipadas con aplicadores de pintura en polvo **Nordson**, extractores de aire **Excel 300**, cabinas de aspersión, hornos de curado, tableros de control, transportadores y un cuarto limpio, sistema de ósmosis inversa industrial, 14 robots **AGV**, cabinas robotizadas de soldadura **Panasonic** y **KUKA**, 3 líneas de ensamble con estaciones de trabajo y sistemas eléctricos completos. 24 racks de almacenamiento, 1,800 rejillas para racks de almacenamiento, herramienta industrial, equipos de prueba, mobiliario especializado y diversos activos utilizados en operaciones de manufactura óptimos para múltiples sectores industriales.

Among our most notable assets are: a hybrid liquid immersion "Dip Coating" paint line; three paint lines equipped with **Nordson** powder-coating applicators, **Excel 300** air extractors, spray booths, curing ovens, control panels, conveyors, and a clean room; an industrial reverse osmosis system; fourteen **AGV** robots; **Panasonic** and **KUKA** robotic welding cells; three assembly lines with workstations and complete electrical systems; twenty-four storage racks; 1,800 rack grates; industrial tools; testing equipment; specialized furniture; and various assets used in manufacturing operations, suitable for multiple industrial sectors.

Inspecciones disponibles / Available inspections





Lote 33: Línea de Pintura Híbrida por Inmersión "Dip Coating" (año 2022) incluye un aplicador de pintura en polvo **Nordson** XL3003, extractores de aire, tablero de control, cabina de aspersión y un cuarto limpio de 5.10 × 9.80 × 4.70 m. El sistema integra horno de secado a 232 °C (6.58 × 23.4 × 4.19 m), horno de curado por convección a 232 °C (8.0 × 23.4 × 8.0 m) y una lavadora de piezas con 8 tinas en acero inoxidable (2.40 × 36 × 3.48 m), además de 2 tinas adicionales para pintado por inmersión. Cuenta con una cadena de 448 m con motorreductores en viga IPR 6×6", PLC con tableros eléctricos a 440 V / 60 Hz, velocidad de proceso de 6 ft/min y capacidad de carga de 400 lb por trolley, adecuada para piezas metálicas o plásticas.

Lot 33: The Hybrid Immersion "Dip Coating" Paint Line (2022) includes a **Nordson** XL3003 powder-coating applicator, air extractors, a control panel, a spray booth, and a clean room measuring 5.10 × 9.80 × 4.70 m. The system features a drying oven at 232 °C (6.58 × 23.4 × 4.19 m), a convection curing oven at 232 °C (8.0 × 23.4 × 8.0 m), and a parts washer with 8 stainless steel tanks (2.40 × 36 × 3.48 m), plus 2 additional tanks for immersion coating. It includes a 448-meter conveyor line with gearmotors mounted on 6×6" IPR beams, a PLC with 440 V / 60 Hz control panels, a process speed of 6 ft/min, and a load capacity of 400 lb per trolley, suitable for metal or plastic parts.

1/3




Lotes 34-36: Línea de pintura con sistema de aplicación de pintura electrostática con aplicador de polvo Marca **Nordson Corporation** Año 2022, Modelo XL3003, voltaje 460. Con cabina de pintado y extractor de polvo **Nordson** modelo **Excel 3000**, sistema de hornos, conexiones y tableros eléctricos son marca **Koch** fabricado en Evansville, Indiana USA

Lots 34-36: Paint line with an electrostatic powder-coating application system featuring a **Nordson Corporation** powder applicator, year 2022, model XL3003, 460 V. Includes a **Nordson Excel 3000** spray booth and dust extractor. The oven system, connections, and electrical panels are **Koch** brand, manufactured in Evansville, Indiana, USA.



Lot 11 - 20; 111 - 120: Grúas viajeras para 1 y 2 toneladas con viga de IPR, 1 y 2 puentes, con polipastos eléctricos marca **MUNCK**. / Overhead cranes with 1-ton and 2-ton capacity, featuring IPR beams, single and double bridges, equipped with **MUNCK** electric hoists.

1/14



Lote 21 - 28; 121 - 126: Robot **AGV** para carga utilitaria con tablero Marca **UNITRONICS** con servomotor eléctrico Marca **TEKNIC**, Incluye sensor de banda magnética con 4 sensores de proximidad Marca **SICK**.

Lots 21-28; 121-126: Utility-load **AGV** robot with a **UNITRONICS** control panel and a **TEKNIC** electric servomotor. Includes a magnetic-stripe sensor and four proximity sensors by **SICK**.



Lote 41: Sistema de Ósmosis Inversa Industrial Marca **ClearFLO**, Capacidad 32 gpm, 4 Membranas **WAVE CYBER**, Filtros de Arena/Carbon activado, Suavizador con resina cationica marca: Dimond H2O, Bomba **Iwaki Metering** Modelo EJ-B11VCUR, Presión 150 PSI, Capacidad 0.5 GPH, 115 V, Temp. 104°F Serie U092303476, Sistema de purificación de agua con sistema de Ultravioleta Marca **SANITRON** Modelo S50C. Serie 46477NY001, Maximo fluido 20 GPM, Lámpara estandar 05-1334, 120 Volts, 50/60 Hz. Tanque vertical de polietileno alta densidad TTPSA, 30,000 L de capacidad. 2 Bombas en acero inoxidable **BALDOR**.

Lot 41: Industrial Reverse Osmosis System, **ClearFLO** brand, 32 gpm capacity, equipped with 4 **WAVE CYBER** membranes, sand/carbon filters, and a cationic resin softener by Dimond H2O. Includes an **Iwaki Metering** Pump, model EJ-B11VCUR, 150 PSI pressure, 0.5 GPH capacity, 115 V, 104°F, serial U092303476. The water purification system features an ultraviolet **SANITRON** unit, model S50C, serial 46477NY001, with a maximum flow of 20 GPM, standard lamp 05-1334, 120 Volts, 50/60 Hz. Also includes a high-density polyethylene vertical tank (TTPSA), 30,000-liter capacity, and two stainless steel **BALDOR** pumps.



Lote 42: Sistema de tratamiento de agua **KOCH**. Incluye tanques de polietileno de alta densidad: 2 de 200 gal para polímeros, 1 de 400 gal para sosa cáustica, 1 de 400 gal para ácido clorhídrico y 1 de 400 gal para coagulante. Tablero de control (2022).

Lote 42: **KOCH** water treatment system. Includes high-density polyethylene tanks: two 200-gal tanks for polymers, one 400-gal tank for caustic soda, one 400-gal tank for hydrochloric acid, and one 400-gal tank for coagulant. Control panel (2022).

Regístrese a través de BidSpotter ¡Bid now!



Lots location / Ubicación de lotes
Parque Industrial Prologis Park Apodaca Sur

Citas de inspección / Available inspections

Ya disponibles / Now available

Payments / Métodos de pago

Electronic transfer, Cashier's check, Certified check, Credit and debit cards: Visa, MasterCard and American Express

To expedite the validation of your guarantee and/or settlement, please enter the full name with which you participate in the concept or reference

Transferencia electrónica, Cheque de caja, Cheque certificado, Tarjetas de crédito y débito: Visa, MasterCard y American Express

Para agilizar la validación de tu garantía y/o liquidación, por favor coloca en el concepto o referencia el nombre completo con el que participas.

Pesos mexicanos

Titular Myron Bowling Auctioneers México, S.A. de C.V
Cuenta 697830
Clabe 002441700106978304 

Titular Myron Bowling Auctioneers México, S.A. de C.V
Cuenta 92001670836
Clabe 014441920016708364 

Dollars

Titular Myron Bowling Auctioneers México, S.A. de C.V
Cuenta 9000851
Clabe 002441419890008512 
SWIFT BNMXXMXX

Titular Myron Bowling Auctioneers México, S.A. de C.V
Cuenta 5506400928
SWIFT PLASUS44 

Send your proof of payment to:
garantiasyliquidaciones@myronbowling.com.mx



Contact

(+52) 722 327 8215
(+52) 722 327 8216
(+52) 722 211 2883



If you have equipment, machinery
or unproductive assets
Contact us for a confidential appointment
contacto@myronbowling.com.mx



Send us a message
(+52) 55-5416-8981

Follow us!



www.myronbowling.net